

**Triquart MS****Section: 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING****1.1 Product identifier**

Product name : Triquart MS  
Product code : 114860E  
Use of the Substance/Mixture : Disinfectant  
Substance type: : Mixture

**For professional users only.**

Product dilution information : 2.0 %

**1.2 Relevant identified uses of the substance or mixture and uses advised against**

Identified uses : Disinfection product. Semi-automatic process  
Recommended restrictions on use : Reserved for industrial and professional use.

**1.3 Details of the supplier of the safety data sheet**

Company : Ecolab Ltd.  
PO Box 11; Winnington Avenue  
Northwich, Cheshire, United Kingdom CW8 4DX  
+353 (0)1 276 3500  
ccs@ecolab.com

**1.4 Emergency telephone number**

Emergency telephone number : +353 (0)1 276 3500  
Poison Information Centre telephone number : For medical professionals only:  
+353 (0)1 837 9964 (8am-10pm)

Date of Compilation/Revision : 25.01.2017  
version : 2.0

**Section: 2. HAZARDS IDENTIFICATION****2.1 Classification of the substance or mixture****Classification (REGULATION (EC) No 1272/2008)****Product AS SOLD**

|                                      |      |
|--------------------------------------|------|
| Skin corrosion, Category 1B          | H314 |
| Serious eye damage, Category 1       | H318 |
| Acute aquatic toxicity, Category 1   | H400 |
| Chronic aquatic toxicity, Category 2 | H411 |

**Triquart MS**

**Product AT USE DILUTION**

Not a hazardous substance or mixture.

**2.2 Label elements**

**Labelling (REGULATION (EC) No 1272/2008)**

**Product AS SOLD**

Hazard pictograms

:



Signal Word

: Danger

Hazard Statements

: H314 Causes severe skin burns and eye damage.  
 H400 Very toxic to aquatic life.  
 H411 Toxic to aquatic life with long lasting effects.

Precautionary Statements

: **Prevention:**  
 P273 Avoid release to the environment.  
 P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.  
**Response:**  
 P303 + P361 + P353 IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower.  
 P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
 P310 Immediately call a POISON CENTER or doctor/ physician.

Hazardous components which must be listed on the label:

Benzalkonium chloride  
 Didecyl Dimethyl Ammonium Chloride

**Product AT USE DILUTION**

Not a hazardous substance or mixture.

**2.3 Other hazards**

**Product AS SOLD**

None known.

**Section: 3. COMPOSITION/INFORMATION ON INGREDIENTS**

**3.2 Mixtures**

**Product AS SOLD**

**Hazardous components**

| Chemical Name | CAS-No.<br>EC-No. | Classification<br>REGULATION (EC) No<br>1272/2008 | Concentration:<br>[%] |
|---------------|-------------------|---|-----------------------|
|---------------|-------------------|---|-----------------------|

**Triquart MS**

|   | REACH No.                                   |   |                 |
|---|---|---|-----------------|
| ethylenediamine tetraacetate                        | 64-02-8<br>200-573-9<br>01-2119486762-27    | Acute toxicity Category 4; H302<br>Serious eye damage Category 1; H318  | >= 10 - < 20    |
| Benzalkonium chloride                               | 68424-85-1<br>270-325-2<br>01-2119965180-41 | Acute toxicity Category 4; H302<br>Skin corrosion Category 1B; H314<br>Serious eye damage Category 1; H318<br>Acute aquatic toxicity Category 1; H400<br>Chronic aquatic toxicity Category 1;<br>H410 | >= 5 - < 10     |
| Isotridecanol, ethoxylated                          | 69011-36-5<br>500-241-6                     | Acute toxicity Category 4; H302<br>Skin irritation Category 2; H315<br>Serious eye damage Category 1; H318  | >= 1 - < 2.5    |
| Didecyl Dimethyl Ammonium Chloride                  | 7173-51-5<br>230-525-2<br>01-2119945987-15  | Acute toxicity Category 4; H302<br>Skin corrosion Category 1B; H314<br>Chronic aquatic toxicity Category 2;<br>H411<br>Acute aquatic toxicity Category 1; H400  | >= 1 - < 2.5    |
| <b>Substances with a workplace exposure limit :</b> |   |   |                 |
| sodium hydroxide                                    | 1310-73-2<br>215-185-5<br>01-2119457892-27  | Skin corrosion Category 1A; H314<br>Corrosive to metals Category 1; H290  | >= 0.25 - < 0.5 |
| propan-2-ol   | 67-63-0<br>200-661-7<br>01-2119457558-25    | Flammable liquids Category 2; H225<br>Eye irritation Category 2; H319<br>Specific target organ toxicity - single exposure Category 3; H336  | >= 0.1 - < 0.25 |

**Product AT USE DILUTION  
Hazardous components**

| Chemical Name                      | CAS-No.<br>EC-No.<br>REACH No.              | ClassificationREGULATION (EC) No<br>1272/2008   | Concentration:<br>[%] |
|------------------------------------|---|---|-----------------------|
| Benzalkonium chloride              | 68424-85-1<br>270-325-2<br>01-2119965180-41 | Acute toxicityCategory 4; H302<br>Skin corrosionCategory 1B; H314<br>Serious eye damageCategory 1; H318<br>Acute aquatic toxicityCategory 1; H400<br>Chronic aquatic toxicityCategory 1; H410 | >= 0.1 - < 0.25       |
| Didecyl Dimethyl Ammonium Chloride | 7173-51-5<br>230-525-2<br>01-2119945987-15  | Acute toxicityCategory 4; H302<br>Skin corrosionCategory 1B; H314<br>Chronic aquatic toxicityCategory 2; H411<br>Acute aquatic toxicityCategory 1; H400                                       | < 0.1                 |

For the full text of the H-Statements mentioned in this Section, see Section 16.

**Section: 4. FIRST AID MEASURES****4.1 Description of first aid measures****Product AS SOLD**

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention immediately.

In case of skin contact : Wash off immediately with plenty of water for at least 15 minutes. Use a mild soap if available. Wash clothing before reuse. Thoroughly clean shoes before reuse. Get medical attention

**Triquart MS**

immediately.

If swallowed : Rinse mouth with water. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Get medical attention immediately.

If inhaled : Remove to fresh air. Treat symptomatically. Get medical attention if symptoms occur.

**Product AT USE DILUTION**

In case of eye contact : Rinse with plenty of water.

In case of skin contact : Rinse with plenty of water.

If swallowed : Rinse mouth. Get medical attention if symptoms occur.

If inhaled : Get medical attention if symptoms occur.

**4.2 Most important symptoms and effects, both acute and delayed**

See Section 11 for more detailed information on health effects and symptoms.

**4.3 Indication of immediate medical attention and special treatment needed**

Treatment : Treat symptomatically.

**Section: 5. FIREFIGHTING MEASURES**

**Product AS SOLD**

**5.1 Extinguishing media**

Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media : None known.

**5.2 Special hazards arising from the substance or mixture**

Specific hazards during firefighting : Not flammable or combustible.

Hazardous combustion products : Decomposition products may include the following materials:  
Carbon oxides  
nitrogen oxides (NOx)  
Sulphur oxides  
Oxides of phosphorus

**5.3 Advice for firefighters**

Special protective equipment for firefighters : Use personal protective equipment.

Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. In the event of fire and/or

**Triquart MS**

explosion do not breathe fumes.

**Section: 6. ACCIDENTAL RELEASE MEASURES**

**6.1 Personal precautions, protective equipment and emergency procedures**

**Product AS SOLD**

Advice for non-emergency personnel : Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Avoid inhalation, ingestion and contact with skin and eyes. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed in sections 7 and 8.

Advice for emergency responders : If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials.

**Product AT USE DILUTION**

Advice for non-emergency personnel : Refer to protective measures listed in sections 7 and 8.

Advice for emergency responders : If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials.

**6.2 Environmental precautions**

**Product AS SOLD**

Environmental precautions : Do not allow contact with soil, surface or ground water.

**Product AT USE DILUTION**

Environmental precautions : No special environmental precautions required.

**6.3 Methods and materials for containment and cleaning up**

**Product AS SOLD**

Methods for cleaning up : Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Flush away traces with water. For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway.

**Product AT USE DILUTION**

Methods for cleaning up : Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Flush away traces with water. For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway.

**6.4 Reference to other sections**

See Section 1 for emergency contact information.

For personal protection see section 8.

See Section 13 for additional waste treatment information.

**Triquart MS**

**Section: 7. HANDLING AND STORAGE**

**7.1 Precautions for safe handling**

**Product AS SOLD**

Advice on safe handling : Do not ingest. Do not get in eyes, on skin, or on clothing. Do not breathe dust/fume/gas/mist/vapours/spray. Use only with adequate ventilation. Wash hands thoroughly after handling.

Hygiene measures : Handle in accordance with good industrial hygiene and safety practice. Remove and wash contaminated clothing before re-use. Wash face, hands and any exposed skin thoroughly after handling. Provide suitable facilities for quick drenching or flushing of the eyes and body in case of contact or splash hazard.

**Product AT USE DILUTION**

Advice on safe handling : Wash hands after handling. For personal protection see section 8.

Hygiene measures : Wash hands before breaks and immediately after handling the product.

**7.2 Conditions for safe storage, including any incompatibilities**

**Product AS SOLD**

Requirements for storage areas and containers : Keep out of reach of children. Keep container tightly closed. Store in suitable labeled containers.

Storage temperature : 5 °C to 40 °C

**Product AT USE DILUTION**

Requirements for storage areas and containers : Keep out of reach of children. Keep container tightly closed. Store in suitable labeled containers.

**7.3 Specific end uses**

**Product AS SOLD**

**Section: 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

**8.1 Control parameters**

**Product AS SOLD**

**Occupational Exposure Limits**

| Components          | CAS-No.   | Value type (Form of exposure)  | Control parameters  | Basis  |
|---------------------|-----------|--|---------------------|--------|
| sodium hydroxide    | 1310-73-2 | OELV - 15 min (STEL)   | 2 mg/m <sup>3</sup> | IR_OEL |
| propan-2-ol         | 67-63-0   | OELV - 8 hrs (TWA)   | 200 ppm             | IR_OEL |
| Further information | Sk        | Substances which have the capacity to penetrate intact skin when they come in contact with it, and be absorbed into the body |                     |        |
|                     |           | OELV - 15 min (STEL)   | 400 ppm             | IR_OEL |
| Further information | Sk        | Substances which have the capacity to penetrate intact skin when they come in contact with it, and be absorbed into the body |                     |        |

**DNEL**

sodium hydroxide : End Use: Workers

**Triquart MS**

|             |   |  |
|-------------|---|--|
|             |   | Exposure routes: Inhalation<br>Potential health effects: Long-term local effects<br>Value: 1 mg/m3                           |
|             |   | End Use: Consumers<br>Exposure routes: Inhalation<br>Potential health effects: Long-term local effects<br>Value: 1 mg/m3     |
| propan-2-ol | : | End Use: Workers<br>Exposure routes: Dermal<br>Potential health effects: Long-term systemic effects<br>Value: 888 mg/cm2     |
|             |   | End Use: Workers<br>Exposure routes: Inhalation<br>Potential health effects: Long-term systemic effects<br>Value: 500 mg/m3  |
|             |   | End Use: Consumers<br>Exposure routes: Dermal<br>Potential health effects: Long-term systemic effects<br>Value: 319 mg/cm2   |
|             |   | End Use: Consumers<br>Exposure routes: Inhalation<br>Potential health effects: Long-term systemic effects<br>Value: 89 mg/m3 |
|             |   | End Use: Consumers<br>Exposure routes: Ingestion<br>Potential health effects: Long-term systemic effects<br>Value: 26 ppm    |

**PNEC**

|             |   |   |
|-------------|---|---|
| propan-2-ol | : | Fresh water<br>Value: 140.9 mg/l              |
|             |   | Marine water<br>Value: 140.9 mg/l             |
|             |   | Intermittent use/release<br>Value: 140.9 mg/l |
|             |   | Fresh water<br>Value: 552 mg/kg               |
|             |   | Marine sediment<br>Value: 552 mg/kg           |
|             |   | Soil<br>Value: 28 mg/kg                       |
|             |   | Sewage treatment plant<br>Value: 2251 mg/l    |
|             |   | Oral<br>Value: 160 mg/kg                      |

**Triquart MS**

**8.2 Exposure controls**

**Product AS SOLD**

**Appropriate engineering controls**

Engineering measures : Effective exhaust ventilation system. Maintain air concentrations below occupational exposure standards.

**Individual protection measures**

Hygiene measures : Handle in accordance with good industrial hygiene and safety practice. Remove and wash contaminated clothing before re-use. Wash face, hands and any exposed skin thoroughly after handling. Provide suitable facilities for quick drenching or flushing of the eyes and body in case of contact or splash hazard.

Eye/face protection (EN 166) : Safety goggles  
Face-shield

Hand protection (EN 374) : Recommended preventive skin protection  
Gloves  
Nitrile rubber  
butyl-rubber  
Breakthrough time: 1 – 4 hours  
Minimum thickness for butyl-rubber 0.7 mm for nitrile rubber 0.4 mm or equivalent (please refer to the gloves manufacturer/distributor for advise).  
Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.

Skin and body protection (EN 14605) : Personal protective equipment comprising: suitable protective gloves, safety goggles and protective clothing

Respiratory protection (EN 143, 14387) : None required if airborne concentrations are maintained below the exposure limit listed in Exposure Limit Information. Use certified respiratory protection equipment meeting EU requirements(89/656/EEC, 89/686/EEC ), or equivalent, when respiratory risks cannot be avoided or sufficiently limited by technical means of collective protection or by measures, methods or procedures of work organization.

**Product AT USE DILUTION**

**Appropriate engineering controls**

Engineering measures : Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

**Individual protection measures**

Hygiene measures : Wash hands before breaks and immediately after handling the product.

Eye/face protection (EN 166) : No special protective equipment required.

Hand protection (EN 374) : No special protective equipment required.



**Triquart MS**

|  |   |   |
|--|---|---|
| Skin and body protection<br>(EN 14605) | : | No special protective equipment required.   |
| Respiratory protection (EN 143, 14387) | : | None required if airborne concentrations are maintained below the exposure limit listed in Exposure Limit Information. Use certified respiratory protection equipment meeting EU requirements(89/656/EEC, 89/686/EEC ), or equivalent, when respiratory risks cannot be avoided or sufficiently limited by technical means of collective protection or by measures, methods or procedures of work organization. |

**Environmental exposure controls**

General advice : Consider the provision of containment around storage vessels.

**Section: 9. PHYSICAL AND CHEMICAL PROPERTIES**

**9.1 Information on basic physical and chemical properties**

|   | <b>Product AS SOLD</b>                                     | <b>Product AT USE DILUTION</b> |
|---|--|--------------------------------|
| Appearance                              | : liquid   | liquid                         |
| Colour                                  | : clear, light yellow                                      | colourless                     |
| Odour                                   | : slight   | not significant                |
| pH                                      | : 11.0 - 11.4, 100 %                                       | 10.9                           |
| Flash point                             | : Not applicable.  |                                |
| Odour Threshold                         | : Not applicable and/or not determined for the mixture     |                                |
| Melting point/freezing point            | : Not applicable and/or not determined for the mixture     |                                |
| Initial boiling point and boiling range | : Not applicable and/or not determined for the mixture     |                                |
| Evaporation rate                        | : Not applicable and/or not determined for the mixture     |                                |
| Flammability (solid, gas)               | : Not applicable and/or not determined for the mixture     |                                |
| Upper explosion limit                   | : Not applicable and/or not determined for the mixture     |                                |
| Lower explosion limit                   | : Not applicable and/or not determined for the mixture     |                                |
| Vapour pressure                         | : Not applicable and/or not determined for the mixture     |                                |
| Relative vapour density                 | : Not applicable and/or not determined for the mixture     |                                |
| Relative density                        | : 1.08 - 1.12  |                                |
| Water solubility                        | : soluble  |                                |
| Solubility in other solvents            | : Not applicable and/or not determined for the mixture     |                                |
| Partition coefficient: n-octanol/water  | : Not applicable and/or not determined for the mixture     |                                |
| Auto-ignition temperature               | : Not applicable and/or not determined for the mixture     |                                |
| Thermal decomposition                   | : Not applicable and/or not determined for the mixture     |                                |
| Viscosity, kinematic                    | : Not applicable and/or not determined for the mixture     |                                |
| Explosive properties                    | : Not applicable and/or not determined for the mixture     |                                |
| Oxidizing properties                    | : The substance or mixture is not classified as oxidizing. |                                |

**Triquart MS**

**9.2 Other information**

Not applicable and/or not determined for the mixture

**Section: 10. STABILITY AND REACTIVITY**

**Product AS SOLD**

**10.1 Reactivity**

No dangerous reaction known under conditions of normal use.

**10.2 Chemical stability**

Stable under normal conditions.

**10.3 Possibility of hazardous reactions**

No dangerous reaction known under conditions of normal use.

**10.4 Conditions to avoid**

None known.

**10.5 Incompatible materials**

Acids

**10.6 Hazardous decomposition products**

Decomposition products may include the following materials:

Carbon oxides  
nitrogen oxides (NO<sub>x</sub>)  
Sulphur oxides  
Oxides of phosphorus

**Section: 11. TOXICOLOGICAL INFORMATION**

**11.1 Information on toxicological effects**

**Product AS SOLD**

Information on likely routes of exposure : Inhalation, Eye contact, Skin contact

**Product**

Acute oral toxicity : Acute toxicity estimate : > 2,000 mg/kg  
Acute inhalation toxicity : There is no data available for this product.  
Acute dermal toxicity : There is no data available for this product.  
Skin corrosion/irritation : There is no data available for this product.  
Serious eye damage/eye irritation : There is no data available for this product.

**Triquart MS**

- Respiratory or skin sensitization : There is no data available for this product.
- Carcinogenicity : There is no data available for this product.
- Reproductive effects : There is no data available for this product.
- Germ cell mutagenicity : There is no data available for this product.
- Teratogenicity : There is no data available for this product.
- STOT - single exposure : There is no data available for this product.
- STOT - repeated exposure : There is no data available for this product.
- Aspiration toxicity : There is no data available for this product.

**Components**

- Acute oral toxicity : ethylenediamine tetraacetate  
LD50 rat: 1,700 mg/kg
- Benzalkonium chloride  
LD50 rat: 344 mg/kg
- Isotridecanol, ethoxylated  
LD50 rat: 1,250 mg/kg
- Didecyl Dimethyl Ammonium Chloride  
LD50 rat: 1,150 mg/kg
- propan-2-ol  
LD50 rat: 5,840 mg/kg

**Components**

- Acute inhalation toxicity : propan-2-ol  
4 h LC50 rat: > 30 mg/l

**Components**

- Acute dermal toxicity : Benzalkonium chloride  
LD50 rabbit: 3,340 mg/kg
- Isotridecanol, ethoxylated  
LD50 : 2,150 mg/kg
- Didecyl Dimethyl Ammonium Chloride  
LD50 rabbit: 2,930 mg/kg
- propan-2-ol  
LD50 rabbit: 12,870 mg/kg

**Potential Health Effects**

**Product AS SOLD**

- Eyes : Causes serious eye damage.
- Skin : Causes severe skin burns.

**Triquart MS**

Ingestion : Causes digestive tract burns.  
Inhalation : May cause nose, throat, and lung irritation.  
Chronic Exposure : Health injuries are not known or expected under normal use.

**Product AT USE DILUTION**

Eyes : Health injuries are not known or expected under normal use.  
Skin : Health injuries are not known or expected under normal use.  
Ingestion : Health injuries are not known or expected under normal use.  
Inhalation : Health injuries are not known or expected under normal use.  
Chronic Exposure : Health injuries are not known or expected under normal use.

**Experience with human exposure**

**Product AS SOLD**

Eye contact : Redness, Pain, Corrosion  
Skin contact : Redness, Pain, Corrosion  
Ingestion : Corrosion, Abdominal pain  
Inhalation : Respiratory irritation, Cough

**Product AT USE DILUTION**

Eye contact : No symptoms known or expected.  
Skin contact : No symptoms known or expected.  
Ingestion : No symptoms known or expected.  
Inhalation : No symptoms known or expected.

**Section: 12. ECOLOGICAL INFORMATION**

**Product AS SOLD**

**12.1 Ecotoxicity**

Environmental Effects : Very toxic to aquatic life. Toxic to aquatic life with long lasting effects.

**Product**

Toxicity to fish : no data available  
Toxicity to daphnia and other aquatic invertebrates : no data available  
Toxicity to algae : no data available

**Components**

Toxicity to fish : ethylenediamine tetraacetate  
96 h LC50 Fish: 121 mg/l  
Isotridecanol, ethoxylated

**Triquart MS**

LC50: 5.33 mg/l

Didecyl Dimethyl Ammonium Chloride  
96 h LC50 Fish: 1 mg/l

propan-2-ol  
96 h LC50 Pimephales promelas (fathead minnow): 9,640 mg/l

**Components**

Toxicity to daphnia and other aquatic invertebrates : Benzalkonium chloride  
48 h EC50 Daphnia magna (Water flea): 0.016 mg/l

sodium hydroxide  
48 h EC50: 40 mg/l

propan-2-ol  
LC50 Daphnia magna (Water flea): > 10,000 mg/l

**12.2 Persistence and degradability**

**Product**

no data available

**Components**

Biodegradability : ethylenediamine tetraacetate  
Result: Poorly biodegradable

Benzalkonium chloride  
Result: Biodegradable

Isotridecanol, ethoxylated  
Result: Readily biodegradable.

Didecyl Dimethyl Ammonium Chloride  
Result: Eliminated from aquatic environment

sodium hydroxide  
Result: Not applicable - inorganic

propan-2-ol  
Result: Readily biodegradable.

**12.3 Bioaccumulative potential**

no data available

**12.4 Mobility in soil**

no data available

**12.5 Results of PBT and vPvB assessment**

**Product**

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or

**Triquart MS**

higher.

**12.6 Other adverse effects**

no data available

**Section: 13. DISPOSAL CONSIDERATIONS**

Dispose of in accordance with the European Directives on waste and hazardous waste. Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities.

**13.1 Waste treatment methods**

**Product AS SOLD**

Product : The product should not be allowed to enter drains, water courses or the soil. Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved waste disposal facility.

Contaminated packaging : Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re-use empty containers. Dispose of in accordance with local, state, and federal regulations.

Guidance for Waste Code selection : Organic wastes containing dangerous substances. If this product is used in any further processes, the final user must redefine and assign the most appropriate European Waste Catalogue Code. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable European (EU Directive 2008/98/EC) and local regulations.

**Product AT USE DILUTION**

Product : Diluted product can be flushed to sanitary sewer.

Contaminated packaging : Dispose of in accordance with local, state, and federal regulations.

**Section: 14. TRANSPORT INFORMATION**

**Product AS SOLD**

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

**Land transport (ADR/ADN/RID)**

- 14.1 UN number : 3082
- 14.2 UN proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
(quaternary ammonium compound, Alkyl ammonium chloride)
- 14.3 Transport hazard class(es) : 9
- 14.4 Packing group : III
- 14.5 Environmental hazards : Yes

**Triquart MS**

14.6 Special precautions for user : None

**Air transport (IATA)**

14.1 UN number : 3082  
14.2 UN proper shipping name : Environmentally hazardous substance, liquid, n.o.s.  
(quaternary ammonium compound, Alkyl ammonium chloride)  
14.3 Transport hazard class(es) : 9  
14.4 Packing group : III  
14.5 Environmental hazards : Yes  
14.6 Special precautions for user : None

**Sea transport (IMDG/IMO)**

14.1 UN number : 3082  
14.2 UN proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
(quaternary ammonium compound, Alkyl ammonium chloride)  
14.3 Transport hazard class(es) : 9  
14.4 Packing group : III  
14.5 Environmental hazards : Yes  
14.6 Special precautions for user : None  
14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code : Not applicable.

**Section: 15. REGULATORY INFORMATION**

**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

according to Detergents Regulation EC 648/2004 : 5 % or over but less than 15 %: Cationic surfactants, EDTA and salts thereof  
less than 5 %: Non-ionic surfactants  
Contains: Disinfectants

**National Regulations**

**Take note of Dir 94/33/EC on the protection of young people at work.**

Other regulations : Safety, Health and Welfare at Work Act, 2005  
European Communities (Classification, Packaging, Labelling and Notification of Dangerous Preparations) Regulations 1995. (S.I. 272 of 1995) as amended

**15.2 Chemical Safety Assessment**

This product contains substances for which Chemical Safety Assessments are still required.

**Triquart MS****Section: 16. OTHER INFORMATION****Procedure used to derive the classification according to REGULATION (EC) No 1272/2008**

| Classification                   | Justification      |
|----------------------------------|--------------------|
| Skin corrosion 1B, H314          | Calculation method |
| Serious eye damage 1, H318       | Calculation method |
| Acute aquatic toxicity 1, H400   | Calculation method |
| Chronic aquatic toxicity 2, H411 | Calculation method |

**Full text of H-Statements**

|      |   |
|------|---|
| H225 | Highly flammable liquid and vapour.                   |
| H290 | May be corrosive to metals.                           |
| H302 | Harmful if swallowed.                                 |
| H314 | Causes severe skin burns and eye damage.              |
| H315 | Causes skin irritation.                               |
| H318 | Causes serious eye damage.                            |
| H319 | Causes serious eye irritation.                        |
| H336 | May cause drowsiness or dizziness.                    |
| H400 | Very toxic to aquatic life.                           |
| H410 | Very toxic to aquatic life with long lasting effects. |
| H411 | Toxic to aquatic life with long lasting effects.      |

**Full text of other abbreviations**

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Prepared by : Regulatory Affairs



**Triquart MS**

Numbers quoted in the MSDS are given in the format: 1,000,000 = 1 million and 1,000 = 1 thousand. 0.1 = 1 tenth and 0.001 = 1 thousandth

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**ANNEX: EXPOSURE SCENARIOS**

**DPD+ Substances:**

The following substances are the lead substances that contribute to the mixture Exposure Scenario according to the DPD+ Rule:

| Route               | Substance                    | CAS-No.    | EINECS-No. |
|---------------------|------------------------------|------------|------------|
| Ingestion           | Benzalkonium chloride        | 68424-85-1 | 270-325-2  |
| Inhalation          | Benzalkonium chloride        | 68424-85-1 | 270-325-2  |
| Dermal              | Benzalkonium chloride        | 68424-85-1 | 270-325-2  |
| Eyes                | ethylenediamine tetraacetate | 64-02-8    | 200-573-9  |
| aquatic environment | Benzalkonium chloride        | 68424-85-1 | 270-325-2  |

**Physical properties DPD+ Substances:**

| Substance                    | Vapour pressure | Water solubility | Pow | Molar Mass |
|------------------------------|-----------------|------------------|-----|------------|
| Benzalkonium chloride        | < 0.0000001 hPa | 403 g/l          |     |            |
| ethylenediamine tetraacetate | < 0.0000001 hPa | 500 g/l          |     |            |

To calculate if your downstream Operating Conditions and Risk management Measures are safe, please calculate your risk factor at the website below:

[www.ecetoc.org/tra](http://www.ecetoc.org/tra)

**Short title of Exposure Scenario** : **Disinfection product. Semi-automatic process**

**Use descriptors**

Main User Groups : Industrial uses: Uses of substances as such or in preparations at industrial sites

Sectors of end-use : **SU3:** Industrial uses: Uses of substances as such or in preparations at industrial sites

**Triquart MS**

- Process categories : **PROC4:** Use in batch and other process (synthesis) where opportunity for exposure arises  
**PROC8b:** Transfer of substance or preparation (charging/ discharging) from/ to vessels/ large containers at dedicated facilities
- Product categories : **PC35:** Washing and cleaning products (including solvent based products)
- Environmental Release Categories : **ERC4:** Industrial use of processing aids in processes and products, not becoming part of articles